

## Complaint/Report Details

**Complaint/Report Ref:** CR44792

**Priority/Sensitive:** N

**Complainant**

s.73

**Alleged Source**

s.73

**Incident Location**

Name	Risk Level	Address
189 Main Beach Road PINKENBA 4008	3 Moderate	189 Main Beach Road PINKENBA QLD 4008

**Type:** Alleged Compliance Issue

**Nature:** Water : Effluent/Sewage

**Received Date:** 01/DEC/08

**Receiving Officer:** MURPHY, Shari

**Receiving Office:** ES-RSD-SER-Brisbane Moreton

**Status:** Finalised

**Origin:** Notification by source

**Notification Method:** Email

**Project Manager:** MURPHY, Shari

**Responsible Office:** ES-RSD-SER-Brisbane Moreton

**Description**

<b>Event On/From Date:</b>	<b>Event On/From Time:</b>	<b>Received Time:</b>	<b>Print Related Permits:</b>
<b>Event To Date:</b>	<b>Event To Time:</b>	<b>Ongoing:</b> N	
<b>Description</b> Failure to undertake required monitoring			

**Running Sheet Summary**

**Accrued Time:** 0 hrs 0 mins

First Action	Date Commenced	Due Date	Action Type	Officer Involved	Outcome	Date Completed
	28/AUG/12		Desktop review	HAWAS, Olga	NFA	


**Related Complaints/Reports**

Ref	Complainant	Alleged Source	Incident Location	Received Date
CR44793		s.73	189 Main Beach Road PINKENBA 4008	27/JAN/09
CR44827			189 Main Beach Road PINKENBA 4008	04/FEB/09
CR45194			189 Main Beach Road PINKENBA 4008	25/FEB/09
CR45197			189 Main Beach Road PINKENBA 4008	05/FEB/09
CR45955			189 Main Beach Road PINKENBA 4008	08/MAY/09
CR47927			189 Main Beach Road PINKENBA 4008	22/JAN/10
CR48178			189 Main Beach Road PINKENBA 4008	01/MAR/10
CR48217			189 Main Beach Road PINKENBA 4008	04/MAR/10
CR48485			189 Main Beach Road PINKENBA 4008	20/APR/10
CR48510			189 Main Beach Road PINKENBA 4008	13/APR/10
CR49150			189 Main Beach Road PINKENBA 4008	15/JUL/10
CR52963			189 Main Beach Road PINKENBA 4008	13/DEC/11
CR53016			189 Main Beach Road PINKENBA 4008	21/DEC/11
CR69585			189 Main Beach Road PINKENBA 4008	17/SEP/15
CR74763			189 Main Beach Road PINKENBA 4008	24/AUG/16

## Complaint/Report Details

### Related Compliance Activity

Ref	Type	Information Entered	Activity Location
CA19770	Not Applicable	24/NOV/09	189 Main Beach Road PINKENBA 4008
CA20826	Maintenance	17/MAY/10	189 Main Beach Road PINKENBA 4008
CA25398	Environment	12/JUN/12	189 Main Beach Road PINKENBA 4008
CA33631	Environment	08/JAN/15	189 Main Beach Road PINKENBA 4008
CA38582	Environment	11/DEC/15	189 Main Beach Road PINKENBA 4008



Released by EHP  
 RTI Act 2009

## Complaint/Report Details

**Complaint/Report Ref:** CR48178

**Priority/Sensitive:** N

**Complainant**

s.73

**Alleged Source**

s.73

**Incident Location**

Name	Risk Level	Address
189 Main Beach Road PINKENBA 4008	3 Moderate	189 Main Beach Road PINKENBA QLD 4008

**Type:** Alleged Compliance Issue

**Nature:** Water : Effluent/Sewage

**Received Date:** 01/MAR/10

**Receiving Officer:** HAWAS, Olga

**Receiving Office:** ES-RSD-SER-Brisbane North

**Status:** Finalised

**Origin:** Notification by source

**Notification Method:** Email

**Project Manager:** HAWAS, Olga

**Responsible Office:** ES-RSD-SER-Brisbane North

**Description**

**Event On/From Date:** 27/FEB/10

**Event On/From Time:** 08:56 AM

**Received Time:**

**Event To Date:** 27/FEB/10

**Event To Time:** 09:20 AM

**Ongoing:** N

**Print Related Permits:**

**Description**

On Saturday 27.02.2010 between 8.56am and 9.20am, treated water was discharged to the stormwater channel with a total chlorine reading of 0.29mg/L, which is just over the 0.2mg/L short term 50th percentile limit (the maximum is 0.7mg/L of total chlorine). Manual dosing to the treated water was performed immediately to lower the total chlorine content. The total chlorine was 0.03mg/L of manual dosing.

**Running Sheet Summary**

**Accrued Time:** 0 hrs 0 mins

First Action	Date Commenced	Due Date	Action Type	Officer Involved	Outcome	Date Completed
Y	20/AUG/12		Desktop review	HAWAS, Olga	NFA	

**Related Complaints/Reports**

Ref	Complainant	Alleged Source	Incident Location	Received Date
CR44792			189 Main Beach Road PINKENBA 4008	01/DEC/08
CR44793			189 Main Beach Road PINKENBA 4008	27/JAN/09
CR44827			189 Main Beach Road PINKENBA 4008	04/FEB/09
CR45194			189 Main Beach Road PINKENBA 4008	25/FEB/09
CR45197			189 Main Beach Road PINKENBA 4008	05/FEB/09
CR45955			189 Main Beach Road PINKENBA 4008	08/MAY/09
CR47927			189 Main Beach Road PINKENBA 4008	22/JAN/10
CR48217		s.73	189 Main Beach Road PINKENBA 4008	04/MAR/10
CR48485			189 Main Beach Road PINKENBA 4008	20/APR/10
CR48510			189 Main Beach Road PINKENBA 4008	13/APR/10
CR49150			189 Main Beach Road PINKENBA 4008	15/JUL/10
CR52963			189 Main Beach Road PINKENBA 4008	13/DEC/11
CR53016			189 Main Beach Road PINKENBA 4008	21/DEC/11
CR69585			189 Main Beach Road PINKENBA 4008	17/SEP/15
CR74763			189 Main Beach Road PINKENBA 4008	24/AUG/16

## Complaint/Report Details

### Related Compliance Activity

Ref	Type	Information Entered	Activity Location
CA19770	Not Applicable	24/NOV/09	189 Main Beach Road PINKENBA 4008
CA20826	Maintenance	17/MAY/10	189 Main Beach Road PINKENBA 4008
CA25398	Environment	12/JUN/12	189 Main Beach Road PINKENBA 4008
CA33631	Environment	08/JAN/15	189 Main Beach Road PINKENBA 4008
CA38582	Environment	11/DEC/15	189 Main Beach Road PINKENBA 4008



Released by EHP  
 RTI Act 2009

## Complaint/Report Details

Complaint/Report Ref: CR44827

Priority/Sensitive: N

**Complainant**

Ref	Name	Address	Phone	Mobile	Fax	Email
		s.73				

**Alleged Source**

Ref	Name	Address	Phone	Mobile	Fax	Email
			s.73			

**Incident Location**

Name	Risk Level	Address
189 Main Beach Road PINKENBA 4008	3 Moderate	189 Main Beach Road PINKENBA QLD 4008

**Type:** Alleged Compliance Issue

**Nature:** Water : Effluent/Sewage

**Received Date:** 04/FEB/09

**Receiving Officer:** COLEMAN, Kylie

**Receiving Office:** ES-RSD-SER-Brisbane Moreton

**Status:** Finalised

**Origin:** Notification by source

**Notification Method:** Telephone call - business hours

**Project Manager:** COLEMAN, Kylie

**Responsible Office:** ES-RSD-SER-Brisbane North

**Description**

**Event On/From Date:**

**Event On/From Time:**

**Received Time:**

**Event To Date:**

**Event To Time:**

**Ongoing:** N

**Print Related Permits:**

s.73
------

**Running Sheet Summary**

**Accrued Time:** 0 hrs 30 mins

First Action	Date Commenced	Due Date	Action Type	Officer Involved	Outcome	Date Completed
Y	04/FEB/09	19/FEB/09	Telephone Call	COLEMAN, Kylie	Action Required - awaiting response	
	20/AUG/12		Desktop review	HAWAS, Olga	NFA	

**Related Complaints/Reports**

Ref	Complainant	Alleged Source	Incident Location	Received Date
CR44792			189 Main Beach Road PINKENBA 4008	01/DEC/08
CR44793			189 Main Beach Road PINKENBA 4008	27/JAN/09
CR45194			189 Main Beach Road PINKENBA 4008	25/FEB/09
CR45197			189 Main Beach Road PINKENBA 4008	05/FEB/09
CR45955			189 Main Beach Road PINKENBA 4008	08/MAY/09
CR47927			189 Main Beach Road PINKENBA 4008	22/JAN/10
CR48178			189 Main Beach Road PINKENBA 4008	01/MAR/10
CR48217		s.73	189 Main Beach Road PINKENBA 4008	04/MAR/10
CR48485			189 Main Beach Road PINKENBA 4008	20/APR/10
CR48510			189 Main Beach Road PINKENBA 4008	13/APR/10
CR49150			189 Main Beach Road PINKENBA 4008	15/JUL/10
CR52963			189 Main Beach Road PINKENBA 4008	13/DEC/11
CR53016			189 Main Beach Road PINKENBA 4008	21/DEC/11
CR69585			189 Main Beach Road PINKENBA 4008	17/SEP/15
CR74763			189 Main Beach Road PINKENBA 4008	24/AUG/16

## Complaint/Report Details

Related Compliance Activity				
Ref	Type	Information Entered		Activity Location
CA19770	Not Applicable	24/NOV/09	s.73	189 Main Beach Road PINKENBA 4008
CA20826	Maintenance	17/MAY/10		189 Main Beach Road PINKENBA 4008
CA25398	Environment	12/JUN/12		189 Main Beach Road PINKENBA 4008
CA33631	Environment	08/JAN/15		189 Main Beach Road PINKENBA 4008
CA38582	Environment	11/DEC/15		189 Main Beach Road PINKENBA 4008

Released by EHP  
RTI Act 2009

## Complaint/Report Details

Complaint/Report Ref: CR45197

Priority/Sensitive: N

### Complainant

s.73

### Alleged Source

s.73

### Incident Location

Name	Risk Level	Address
189 Main Beach Road PINKENBA 4008	3 Moderate	189 Main Beach Road PINKENBA QLD 4008

**Type:** Alleged Compliance Issue

**Nature:** Water : Effluent/Sewage

**Received Date:** 05/FEB/09

**Receiving Officer:** MURPHY, Shari

**Receiving Office:** ES-RSD-SER-Brisbane Moreton

**Status:** Received

**Origin:** Notification by source

**Notification Method:** Email

**Project Manager:** COLEMAN, Kylie

**Responsible Office:** ES - Reg Serv - Bne South - Bne

### Description

**Event On/From Date:**

**Event On/From Time:**

**Received Time:**

**Event To Date:**

**Event To Time:**

**Ongoing:** N

**Print Related Permits:**

#### Description

Ammonia exceedence on 27 January 2009 at monitoring point S1.

### Running Sheet Summary

**Accrued Time:** 0 hrs 0 mins

First Action	Date Commenced	Due Date	Action Type	Officer Involved	Outcome	Date Completed
--------------	----------------	----------	-------------	------------------	---------	----------------

### Related Complaints/Reports

Ref	Complainant	Alleged Source	Incident Location	Received Date
CR44792			189 Main Beach Road PINKENBA 4008	01/DEC/08
CR44793			189 Main Beach Road PINKENBA 4008	27/JAN/09
CR44827			189 Main Beach Road PINKENBA 4008	04/FEB/09
CR45194			189 Main Beach Road PINKENBA 4008	25/FEB/09
CR45955			189 Main Beach Road PINKENBA 4008	08/MAY/09
CR47927			189 Main Beach Road PINKENBA 4008	22/JAN/10
CR48178			189 Main Beach Road PINKENBA 4008	01/MAR/10
CR48217		s.73	189 Main Beach Road PINKENBA 4008	04/MAR/10
CR48485			189 Main Beach Road PINKENBA 4008	20/APR/10
CR48510			189 Main Beach Road PINKENBA 4008	13/APR/10
CR49150			189 Main Beach Road PINKENBA 4008	15/JUL/10
CR52963			189 Main Beach Road PINKENBA 4008	13/DEC/11
CR53016			189 Main Beach Road PINKENBA 4008	21/DEC/11
CR69585			189 Main Beach Road PINKENBA 4008	17/SEP/15
CR74763			189 Main Beach Road PINKENBA 4008	24/AUG/16

### Related Compliance Activity

Ref	Type	Information Entered	Client	Activity Location
-----	------	---------------------	--------	-------------------

## Complaint/Report Details

Related Compliance Activity				
Ref	Type	Information Entered		Activity Location
CA19770	Not Applicable	24/NOV/09	s.73	189 Main Beach Road PINKENBA 4008
CA20826	Maintenance	17/MAY/10		189 Main Beach Road PINKENBA 4008
CA25398	Environment	12/JUN/12		189 Main Beach Road PINKENBA 4008
CA33631	Environment	08/JAN/15		189 Main Beach Road PINKENBA 4008
CA38582	Environment	11/DEC/15		189 Main Beach Road PINKENBA 4008

Released by EHP  
RTI Act 2009



## Complaint/Report Details

Complaint/Report Ref: CR45955

Priority/Sensitive: N

### Complainant

s.73

### Alleged Source

Ref	Name	Address	Phone	Mobile	Fax	Email
601633			s.73			

### Incident Location

Name	Risk Level	Address
189 Main Beach Road PINKENBA 4008	3 Moderate	189 Main Beach Road PINKENBA QLD 4008

**Type:** Incident

**Nature:** Water : Effluent/Sewage

**Received Date:** 08/MAY/09

**Receiving Officer:** HAWAS, Olga

**Receiving Office:** ES-RSD-SER-Brisbane Moreton

**Status:** Finalised

**Origin:** Notification by source

**Notification Method:** Email

**Project Manager:** HAWAS, Olga

**Responsible Office:** ES-RSD-SER-Brisbane Moreton

### Description

**Event On/From Date:** 14/APR/09

**Event On/From Time:**

**Received Time:**

**Event To Date:**

**Event To Time:**

**Ongoing:** N

**Print Related Permits:**

#### Description

The Advanced Water Treatment Plant was shutdown on 14 April 2009 and therefore sampling of ROC at the S1 monitoring point was not undertaken on that day. However, a brief discharge of ROC to the diffuser of approximately 0.027ML occurred between 5.07pm and 5.13pm due to an automatic flushing process. Therefore ROC was discharged for the day but not sampled as required by condition Water 9 of the ERA 16 permit. The water quality of the discharge is not expected to have differed markedly from the typical plant discharge quality and no environmental harm has been identified as a result of this occurrence. Luggage Point Alliance is undertaking an investigation into this incident and written advice will be provided to you within 14 days, as per condition General 13 of the ERA 16 permit.

### Running Sheet Summary

**Accrued Time:** 0 hrs 15 mins

First Action	Date Commenced	Due Date	Action Type	Officer Involved	Outcome	Date Completed
Y	18/MAY/09	22/MAY/09	Email Received	HAWAS, Olga	Action Required - further investigation	

### Related Complaints/Reports

Ref	Complainant	Alleged Source	Incident Location	Received Date
CR44792			189 Main Beach Road PINKENBA 4008	01/DEC/08
CR44793			189 Main Beach Road PINKENBA 4008	27/JAN/09
CR44827			189 Main Beach Road PINKENBA 4008	04/FEB/09
CR45194			189 Main Beach Road PINKENBA 4008	25/FEB/09
CR45197			189 Main Beach Road PINKENBA 4008	05/FEB/09
CR47927			189 Main Beach Road PINKENBA 4008	22/JAN/10
CR48178		s.73	189 Main Beach Road PINKENBA 4008	01/MAR/10
CR48217			189 Main Beach Road PINKENBA 4008	04/MAR/10
CR48485			189 Main Beach Road PINKENBA 4008	20/APR/10
CR48510			189 Main Beach Road PINKENBA 4008	13/APR/10
CR49150			189 Main Beach Road PINKENBA 4008	15/JUL/10
CR52963			189 Main Beach Road PINKENBA 4008	13/DEC/11

## Complaint/Report Details

### Related Complaints/Reports

Ref	Complainant	Alleged Source	Incident Location	Received Date
CR53016		s.73	189 Main Beach Road PINKENBA 4008	21/DEC/11
CR69585			189 Main Beach Road PINKENBA 4008	17/SEP/15
CR74763			189 Main Beach Road PINKENBA 4008	24/AUG/16

### Related Compliance Activity

Ref	Type	Information Entered	Activity Location
CA19770	Not Applicable	24/NOV/09	189 Main Beach Road PINKENBA 4008
CA20826	Maintenance	17/MAY/10	189 Main Beach Road PINKENBA 4008
CA25398	Environment	12/JUN/12	189 Main Beach Road PINKENBA 4008
CA33631	Environment	08/JAN/15	189 Main Beach Road PINKENBA 4008
CA38582	Environment	11/DEC/15	189 Main Beach Road PINKENBA 4008

Released by EHP  
RTI Act 2009

## Complaint/Report Details

**Complaint/Report Ref:** CR48510

**Priority/Sensitive:** N

**Complainant**

s.73

**Alleged Source**

s.73

**Incident Location**

Name	Risk Level	Address
189 Main Beach Road PINKENBA 4008	3 Moderate	189 Main Beach Road PINKENBA QLD 4008

**Type:** Incident

**Nature:** Water - GENERAL

**Received Date:** 13/APR/10

**Receiving Officer:** HAWAS, Olga

**Receiving Office:** ES-RSD-SER-Brisbane North

**Status:** Finalised

**Origin:** Notification by source

**Notification Method:** Email

**Project Manager:** HAWAS, Olga

**Responsible Office:** ES-RSD-SER-Brisbane North

**Description**

**Event On/From Date:** 13/APR/10

**Event On/From Time:**

**Received Time:**

**Event To Date:** 14/APR/10

**Event To Time:**

**Ongoing:** N

**Print Related Permits:**

**Description**

As per our conversation, it was noticed around 11am that some product water was seeping from the stormwater channel. The exact location is about 5m pass the S2/SW1 monitoring point which is outside the area subject to ERA64 license, hence there is no breach of conditions set out in ERA64.

**Running Sheet Summary**

**Accrued Time:** 0 hrs 45 mins

First Action	Date Commenced	Due Date	Action Type	Officer Involved	Outcome	Date Completed
	22/APR/10		Email Received	HAWAS, Olga	NFA - EPA otherwise satisfied	

**Related Complaints/Reports**

Ref	Complainant	Alleged Source	Incident Location	Received Date
CR44792			189 Main Beach Road PINKENBA 4008	01/DEC/08
CR44793			189 Main Beach Road PINKENBA 4008	27/JAN/09
CR44827			189 Main Beach Road PINKENBA 4008	04/FEB/09
CR45194			189 Main Beach Road PINKENBA 4008	25/FEB/09
CR45197			189 Main Beach Road PINKENBA 4008	05/FEB/09
CR45955			189 Main Beach Road PINKENBA 4008	08/MAY/09
CR47927		s.73	189 Main Beach Road PINKENBA 4008	22/JAN/10
CR48178			189 Main Beach Road PINKENBA 4008	01/MAR/10
CR48217			189 Main Beach Road PINKENBA 4008	04/MAR/10
CR48485			189 Main Beach Road PINKENBA 4008	20/APR/10
CR49150			189 Main Beach Road PINKENBA 4008	15/JUL/10
CR52963			189 Main Beach Road PINKENBA 4008	13/DEC/11
CR53016			189 Main Beach Road PINKENBA 4008	21/DEC/11
CR69585			189 Main Beach Road PINKENBA 4008	17/SEP/15

## Complaint/Report Details

### Related Complaints/Reports

Ref	Complainant	Alleged Source	Incident Location	Received Date
	s.73		189 Main Beach Road PINKENBA 4008	24/AUG/16

### Related Compliance Activity

Ref	Type	Information Entered	Activity Location
CA19770	Not Applicable	24/NOV/09	189 Main Beach Road PINKENBA 4008
CA20826	Maintenance	17/MAY/10	189 Main Beach Road PINKENBA 4008
CA25398	Environment	12/JUN/12	189 Main Beach Road PINKENBA 4008
CA33631	Environment	08/JAN/15	189 Main Beach Road PINKENBA 4008
CA38582	Environment	11/DEC/15	189 Main Beach Road PINKENBA 4008

Released by EHP  
RTI Act 2009

## Complaint/Report Details

**Complaint/Report Ref:** CR52963

**Priority/Sensitive:** N

**Complainant**

s.73

**Alleged Source**

s.73

**Incident Location**

Name	Risk Level	Address
189 Main Beach Road PINKENBA 4008		189 Main Beach Road PINKENBA QLD 4008

**Type:** Incident  
**Nature:** Water - GENERAL  
**Received Date:** 13/DEC/11  
**Receiving Officer:** BIRCH, Kerynne  
**Receiving Office:** ES-RSD-SER-Brisbane North  
**Status:** Finalised  
**Origin:** Notification by source  
**Notification Method:** Email  
**Project Manager:** BIRCH, Kerynne  
**Responsible Office:** ES-RSD-SER-Brisbane North

**Description**

<b>Event On/From Date:</b>	<b>Event On/From Time:</b>	<b>Received Time:</b>
<b>Event To Date:</b>	<b>Event To Time:</b>	<b>Ongoing:</b> N
		<b>Print Related Permits:</b>

**Description**  
 On Thursday 8-DEC-11, s.73 notified DERM regarding an exceedance in cobalt concentration in the ROC above the corresponding trigger limit for the fourth time. 4 exceedances trigger a DTA which has been ordered by s.73 provided an incident notification form and will provide the DTA results once they are received. This is according to condition "W18 - Event-based Direct Toxicity Assessment" of DA number SPDE01507911.  
 Please see CR53016 regarding this incident. EHP determined that s.73 did not have to complete any further DTA assessment regarding the issue and EHP has provided written indication that s.73 can operate their plant with an increased trigger cobalt release limit in the ROC to 0.026mg/L. s.73 s.73 is to apply for an amendment to their DA to implement the change to cobalt trigger limit. No change has yet been applied for as of 17/08/2012. KB

**Running Sheet Summary**

**Accrued Time:** 0 hrs 30 mins

First Action	Date Commenced	Due Date	Action Type	Officer Involved	Outcome	Date Completed
Y	08/DEC/11		Email Received	BIRCH, Kerynne	Permit Amendment	14/FEB/12

**Related Complaints/Reports**

Ref	Complainant	Alleged Source	Incident Location	Received Date
CR44792	s.73	s.73	189 Main Beach Road PINKENBA 4008	01/DEC/08
CR44793			189 Main Beach Road PINKENBA 4008	27/JAN/09
CR44827			189 Main Beach Road PINKENBA 4008	04/FEB/09
CR45194			189 Main Beach Road PINKENBA 4008	25/FEB/09
CR45197			189 Main Beach Road PINKENBA 4008	05/FEB/09
CR45955			189 Main Beach Road PINKENBA 4008	08/MAY/09
CR47927			189 Main Beach Road PINKENBA 4008	22/JAN/10
CR48178			189 Main Beach Road PINKENBA 4008	01/MAR/10
CR48217			189 Main Beach Road PINKENBA 4008	04/MAR/10
CR48485			189 Main Beach Road PINKENBA 4008	20/APR/10
CR48510			189 Main Beach Road PINKENBA 4008	13/APR/10
CR49150			189 Main Beach Road PINKENBA 4008	15/JUL/10

## Complaint/Report Details

### Related Complaints/Reports

Ref	Complainant	Alleged Source	Incident Location	Received Date
		s.73	189 Main Beach Road PINKENBA 4008 189 Main Beach Road PINKENBA 4008 189 Main Beach Road PINKENBA 4008	21/DEC/11 17/SEP/15 24/AUG/16

### Related Compliance Activity

Ref	Type	Information Entered	Activity Location
CA19770	Not Applicable	24/NOV/09	189 Main Beach Road PINKENBA 4008
CA20826	Maintenance	17/MAY/10	189 Main Beach Road PINKENBA 4008
CA25398	Environment	12/JUN/12	189 Main Beach Road PINKENBA 4008
CA33631	Environment	08/JAN/15	189 Main Beach Road PINKENBA 4008
CA38582	Environment	11/DEC/15	189 Main Beach Road PINKENBA 4008

Released by EHP  
RTI Act 2009

## Complaint/Report Details

Complaint/Report Ref: CR49150

Priority/Sensitive: N

### Complainant

s.73

### Alleged Source

s.73

### Incident Location

Name	Risk Level	Address
189 Main Beach Road PINKENBA 4008	3 Moderate	189 Main Beach Road PINKENBA QLD 4008

**Type:** Incident

**Nature:** Water - GENERAL

**Received Date:** 15/JUL/10

**Receiving Officer:** HAWAS, Olga

**Receiving Office:** ES-RSD-SER-Brisbane North

**Status:** Finalised

**Origin:** Notification by source

**Notification Method:** Email

**Project Manager:** HAWAS, Olga

**Responsible Office:** ES-RSD-SER-Brisbane North

### Description

**Event On/From Date:** 15/JUL/10

**Event On/From Time:**

**Received Time:**

**Event To Date:**

**Event To Time:**

**Ongoing:** N

**Print Related Permits:**

#### Description

As per our conversation today, it was noticed at approximately 11am yesterday that PRW may be seeping through the stormwater channel. Note that PRW is not 'overflowing' the stormwater channel. The location is approximately 5m pass the S2/SW1 monitoring point. Agreed path forward is to:

- sample PRW to ensure compliance with discharge limits
- monitor the water level
- provide an email/memo to DERM describing the situation, any mitigation measures/other PRW disposal options, water quality results and photos.

### Running Sheet Summary

**Accrued Time:** 1 hrs 15 mins

First Action	Date Commenced	Due Date	Action Type	Officer Involved	Outcome	Date Completed
Y	15/JUL/10		Email Received	HAWAS, Olga	Action Required - awaiting response	
	02/AUG/10		Email Received	HAWAS, Olga	NFA - EPA otherwise satisfied	

### Related Complaints/Reports

Ref	Complainant	Alleged Source	Incident Location	Received Date
CR44792			189 Main Beach Road PINKENBA 4008	01/DEC/08
CR44793			189 Main Beach Road PINKENBA 4008	27/JAN/09
CR44827			189 Main Beach Road PINKENBA 4008	04/FEB/09
CR45194			189 Main Beach Road PINKENBA 4008	25/FEB/09
CR45197			189 Main Beach Road PINKENBA 4008	05/FEB/09
CR45955			189 Main Beach Road PINKENBA 4008	08/MAY/09
CR47927		s.73	189 Main Beach Road PINKENBA 4008	22/JAN/10
CR48178			189 Main Beach Road PINKENBA 4008	01/MAR/10
CR48217			189 Main Beach Road PINKENBA 4008	04/MAR/10
CR48485			189 Main Beach Road PINKENBA 4008	20/APR/10
CR48510			189 Main Beach Road PINKENBA 4008	13/APR/10
CR52963			189 Main Beach Road PINKENBA 4008	13/DEC/11

## Complaint/Report Details

### Related Complaints/Reports

Ref	Complainant	Alleged Source	Incident Location	Received Date
	s.73		189 Main Beach Road PINKENBA 4008 189 Main Beach Road PINKENBA 4008 189 Main Beach Road PINKENBA 4008	21/DEC/11 17/SEP/15 24/AUG/16

### Related Compliance Activity

Ref	Type	Information Entered	Client	Activity Location
CA19770	Not Applicable	24/NOV/09	s.73	189 Main Beach Road PINKENBA 4008
CA20826	Maintenance	17/MAY/10		189 Main Beach Road PINKENBA 4008
CA25398	Environment	12/JUN/12		189 Main Beach Road PINKENBA 4008
CA33631	Environment	08/JAN/15		189 Main Beach Road PINKENBA 4008
CA38582	Environment	11/DEC/15		189 Main Beach Road PINKENBA 4008

Released by EHP  
RTI Act 2009



## Complaint/Report Details

**Complaint/Report Ref:** CR48485

**Priority/Sensitive:** N

**Complainant**

Ref	Name	Address	Phone	Mobile	Fax	Email
s.73						

**Alleged Source**

Ref	Name	Address	Phone	Mobile	Fax	Email
s.73						

**Incident Location**

Name	Risk Level	Address
189 Main Beach Road PINKENBA 4008	3 Moderate	189 Main Beach Road PINKENBA QLD 4008

**Type:** Incident  
**Nature:** Water : Chem/Oil/Fuel  
**Received Date:** 20/APR/10  
**Receiving Officer:** HAWAS, Olga  
**Receiving Office:** ES-RSD-SER-Brisbane North  
**Status:** Finalised  
**Origin:** Notification by source  
**Notification Method:** Email  
**Project Manager:** HAWAS, Olga  
**Responsible Office:** ES-RSD-SER-Brisbane North

**Description**

<b>Event On/From Date:</b> 20/APR/10	<b>Event On/From Time:</b> 07:44 AM	<b>Received Time:</b>	<b>Ongoing:</b> N	<b>Print Related Permits:</b>
<b>Event To Date:</b>	<b>Event To Time:</b>			
<b>Description</b>				
At 7.30am today RO#2 was shutdown for a schedule EDTA/caustic CIP. RO's go through two flushing procedures (feed flush and permeate flush) when they shutdown. About 600 L of batched EDTA solution was in the RO CIP tank during the permeate flush, instead of permeate water. At 7.44am RO#2 went through a permeate flush using the EDTA solution prepared for a CIP. A maintenance flush was then conducted on RO#2 and approximately 0.15 ML of permeate water was used during permeate and maintenance flushes, which contained only 360 L of EDTA. A 24 hr composite and grab sample of the ROC has been taken and will be sent for EDTA analysis.				

**Running Sheet Summary**

**Accrued Time:** 0 hrs 45 mins

First Action	Date Commenced	Due Date	Action Type	Officer Involved	Outcome	Date Completed
	22/APR/10		Email Received	HAWAS, Olga	NFA - EPA otherwise satisfied	

**Related Complaints/Reports**

Ref	Complainant	Alleged Source	Incident Location	Received Date
CR44792	s.73		189 Main Beach Road PINKENBA 4008	01/DEC/08
CR44793			189 Main Beach Road PINKENBA 4008	27/JAN/09
CR44827			189 Main Beach Road PINKENBA 4008	04/FEB/09
CR45194			189 Main Beach Road PINKENBA 4008	25/FEB/09
CR45197			189 Main Beach Road PINKENBA 4008	05/FEB/09
CR45955			189 Main Beach Road PINKENBA 4008	08/MAY/09
CR47927			189 Main Beach Road PINKENBA 4008	22/JAN/10
CR48178			189 Main Beach Road PINKENBA 4008	01/MAR/10
CR48217			189 Main Beach Road PINKENBA 4008	04/MAR/10
CR48510			189 Main Beach Road PINKENBA 4008	13/APR/10
CR49150			189 Main Beach Road PINKENBA 4008	15/JUL/10
CR52963			189 Main Beach Road PINKENBA 4008	13/DEC/11
CR53016			189 Main Beach Road PINKENBA 4008	21/DEC/11

## Complaint/Report Details

### Related Complaints/Reports

Ref	Complainant	Alleged Source	Incident Location	Received Date
CR69585		s.73	189 Main Beach Road PINKENBA 4008	17/SEP/15
CR74763			189 Main Beach Road PINKENBA 4008	24/AUG/16

### Related Compliance Activity

Ref	Type	Information Entered	Activity Location
CA19770	Not Applicable	24/NOV/09	189 Main Beach Road PINKENBA 4008
CA20826	Maintenance	17/MAY/10	189 Main Beach Road PINKENBA 4008
CA25398	Environment	12/JUN/12	189 Main Beach Road PINKENBA 4008
CA33631	Environment	08/JAN/15	189 Main Beach Road PINKENBA 4008
CA38582	Environment	11/DEC/15	189 Main Beach Road PINKENBA 4008

Released by EHP  
 RTI Act 2009

## Complaint/Report Details

**Complaint/Report Ref:** CR53016

**Priority/Sensitive:** N

**Complainant**

Ref	Name	Address	Phone	Mobile	Fax	Email
s.73						

**Alleged Source**

s.73
------

**Incident Location**

Name	Risk Level	Address
189 Main Beach Road PINKENBA 4008		189 Main Beach Road PINKENBA QLD 4008

**Type:** Incident

**Nature:** Water - GENERAL

**Received Date:** 21/DEC/11

**Receiving Officer:** BIRCH, Kerynne

**Receiving Office:** ES-RSD-SER-Brisbane North

**Status:** Finalised

**Origin:** Notification by source

**Notification Method:** Telephone call - business hours

**Project Manager:** BIRCH, Kerynne

**Responsible Office:** ES-RSD-SER-Brisbane North

**Description**

<b>Event On/From Date:</b>	<b>Event On/From Time:</b>	<b>Received Time:</b>	
<b>Event To Date:</b>	<b>Event To Time:</b>	<b>Ongoing:</b> N	<b>Print Related Permits:</b>

**Description**

A series of exceedances in the trigger limit for cobalt have been occurred at Bundamba and Luggage Point Advanced Water Treatment Plants. The exceedances were detected in the ROC discharge monitoring as per condition Water 7-. The exceedances have triggered one event-based direct toxicity assessment (DTA) at each AWTP as per condition number Water 18 - Event-based Direct Toxicity Assessment.

The results from the Bundamba DTA determined that there was no evidence of acute or chronic toxicity. The results of the Luggage Point DTA have not yet been returned.

s.73 determined that the cause of the increase in cobalt limits was attributed to a change in supplier of ferric chloride. The new suppliers' ferric chloride has a higher concentration of cobalt. s.73 has indicated that the ferric chloride from the new supplier is within the manufacturers specifications for cobalt. In the interim, s.73 has ceased using the ferric chloride from the new supplier and has stored the remaining product on site. s.73 asked DERM for advice regarding future use of the remaining ferric chloride from the new supplier. DERM advised that they wished to consult AERDS regarding the issue - but in the interim advised to continuing using the low-cobalt ferric chloride until appropriate advice could be sought.

DERM will await the results of the Luggage Point DTA. If the results come back with nil acute or chronic toxicity, then DERM will not direct s.73 Australia to carry out another event based DTA as per condition Water 18 if the cobalt levels are triggered once again. s.73 advised DERM that the levels will be triggered again because they continued to use the high-cobalt ferric chloride until the 4th trigger limit exceedence. DERM does not deem it to be necessary to carry out another event-based DTA if the results from the first DTA are clear. DERM advised s.73 to inform DERM of the exceedences.

**Running Sheet Summary**

**Accrued Time:** 2 hrs 0 mins

First Action	Date Commenced	Due Date	Action Type	Officer Involved	Outcome	Date Completed
Y	08/DEC/11		Telephone Call	BIRCH, Kerynne	Action Required - further investigation	03/JAN/12
	13/FEB/12		Email Received	BIRCH, Kerynne	Permit Amendment	14/FEB/12

**Related Complaints/Reports**

Ref	Complainant	Alleged Source	Incident Location	Received Date
CR44792	s.73	s.73	189 Main Beach Road PINKENBA 4008	01/DEC/08
CR44793			189 Main Beach Road PINKENBA 4008	27/JAN/09
CR44827			189 Main Beach Road PINKENBA 4008	04/FEB/09
CR45194			189 Main Beach Road PINKENBA 4008	25/FEB/09
CR45197			189 Main Beach Road PINKENBA 4008	05/FEB/09
CR45955			189 Main Beach Road PINKENBA 4008	08/MAY/09

## Complaint/Report Details

### Related Complaints/Reports

Ref	Complainant	Alleged Source	Incident Location	Received Date	
CR47927			189 Main Beach Road PINKENBA 4008	22/JAN/10	
CR48178			189 Main Beach Road PINKENBA 4008	01/MAR/10	
CR48217			189 Main Beach Road PINKENBA 4008	04/MAR/10	
CR48485			189 Main Beach Road PINKENBA 4008	20/APR/10	
CR48510			s.73	189 Main Beach Road PINKENBA 4008	13/APR/10
CR49150			189 Main Beach Road PINKENBA 4008	15/JUL/10	
CR52963			189 Main Beach Road PINKENBA 4008	13/DEC/11	
CR69585			189 Main Beach Road PINKENBA 4008	17/SEP/15	
CR74763			189 Main Beach Road PINKENBA 4008	24/AUG/16	

### Related Compliance Activity

Ref	Type	Information Entered	Activity Location
CA19770	Not Applicable	24/NOV/09	189 Main Beach Road PINKENBA 4008
CA20826	Maintenance	17/MAY/10	189 Main Beach Road PINKENBA 4008
CA25398	Environment	12/JUN/12	189 Main Beach Road PINKENBA 4008
CA33631	Environment	08/JAN/15	189 Main Beach Road PINKENBA 4008
CA38582	Environment	11/DEC/15	189 Main Beach Road PINKENBA 4008

Released by EHP  
 RTI Act 2009

## Complaint/Report Details

Complaint/Report Ref: CR45955

Priority/Sensitive: N

### Complainant

s.73

### Alleged Source

s.73

### Incident Location

Name	Risk Level	Address
189 Main Beach Road PINKENBA 4008	3 Moderate	189 Main Beach Road PINKENBA QLD 4008

**Type:** Incident

**Nature:** Water : Effluent/Sewage

**Received Date:** 08/MAY/09

**Receiving Officer:** HAWAS, Olga

**Receiving Office:** ES-RSD-SER-Brisbane Moreton

**Status:** Finalised

**Origin:** Notification by source

**Notification Method:** Email

**Project Manager:** HAWAS, Olga

**Responsible Office:** ES-RSD-SER-Brisbane Moreton

### Description

**Event On/From Date:** 14/APR/09

**Event On/From Time:**

**Received Time:**

**Event To Date:**

**Event To Time:**

**Ongoing:** N

**Print Related Permits:**

#### Description

The Advanced Water Treatment Plant was shutdown on 14 April 2009 and therefore sampling of ROC at the S1 monitoring point was not undertaken on that day. However, a brief discharge of ROC to the diffuser of approximately 0.027ML occurred between 5.07pm and 5.13pm due to an automatic flushing process. Therefore ROC was discharged for the day but not sampled as required by condition Water 9 of the ERA 16 permit. The water quality of the discharge is not expected to have differed markedly from the typical plant discharge quality and no environmental harm has been identified as a result of this occurrence. Luggage Point Alliance is undertaking an investigation into this incident and written advice will be provided to you within 14 days, as per condition General 13 of the ERA 16 permit.

### Running Sheet Summary

**Accrued Time:** 0 hrs 15 mins

First Action	Date Commenced	Due Date	Action Type	Officer Involved	Outcome	Date Completed
Y	18/MAY/09	22/MAY/09	Email Received	HAWAS, Olga	Action Required - further investigation	

### Related Complaints/Reports

Ref	Complainant	Alleged Source	Incident Location	Received Date
CR44792			189 Main Beach Road PINKENBA 4008	01/DEC/08
CR44793			189 Main Beach Road PINKENBA 4008	27/JAN/09
CR44827			189 Main Beach Road PINKENBA 4008	04/FEB/09
CR45194			189 Main Beach Road PINKENBA 4008	25/FEB/09
CR45197			189 Main Beach Road PINKENBA 4008	05/FEB/09
CR47927			189 Main Beach Road PINKENBA 4008	22/JAN/10
CR48178		s.73	189 Main Beach Road PINKENBA 4008	01/MAR/10
CR48217			189 Main Beach Road PINKENBA 4008	04/MAR/10
CR48485			189 Main Beach Road PINKENBA 4008	20/APR/10
CR48510			189 Main Beach Road PINKENBA 4008	13/APR/10
CR49150			189 Main Beach Road PINKENBA 4008	15/JUL/10
CR52963			189 Main Beach Road PINKENBA 4008	13/DEC/11

## Complaint/Report Details

### Related Complaints/Reports

Ref	Complainant	Alleged Source	Incident Location	Received Date
CR53016		s.73	189 Main Beach Road PINKENBA 4008	21/DEC/11
CR69585			189 Main Beach Road PINKENBA 4008	17/SEP/15
CR74763			189 Main Beach Road PINKENBA 4008	24/AUG/16

### Related Compliance Activity

Ref	Type	Information Entered	Activity Location
CA19770	Not Applicable	24/NOV/09	189 Main Beach Road PINKENBA 4008
CA20826	Maintenance	17/MAY/10	189 Main Beach Road PINKENBA 4008
CA25398	Environment	12/JUN/12	189 Main Beach Road PINKENBA 4008
CA33631	Environment	08/JAN/15	189 Main Beach Road PINKENBA 4008
CA38582	Environment	11/DEC/15	189 Main Beach Road PINKENBA 4008

Released by EHP  
RTI Act 2009

## Complaint/Report Details

**Complaint/Report Ref:** CR74763

**Priority/Sensitive:** N

**Complainant**

s.73

**Alleged Source**

s.73

**Incident Location**

Name	Risk Level	Address
189 Main Beach Road PINKENBA 4008		189 Main Beach Road PINKENBA QLD 4008

**Type:** Incident

**Nature:** Water : Effluent/Sewage

**Received Date:** 24/AUG/16

**Receiving Officer:** EVERETT, David

**Receiving Office:** Community Response

**Status:** Active

**Origin:** Notification by source

**Notification Method:** Telephone call - business hours

**Project Manager:** MCKENZIE, Ben

**Responsible Office:** ES-RSD-SER-Brisbane Moreton

**Description**

**Event On/From Date:**

**Event On/From Time:**

**Received Time:** 10:00 AM

**Event To Date:**

**Event To Time:**

**Ongoing:** N

**Print Related Permits:**

**Description**

s.73 detected exceedance wrt nickel for Luggage Point Advanced Water Treatment Plant. Limit on EA is 0.092 mg/L vs result of 0.1 mg/L. During that day 167.6 KL was discharged.

**Running Sheet Summary**

**Accrued Time:** 0 hrs 15 mins

First Action	Date Commenced	Due Date	Action Type	Officer Involved	Outcome	Date Completed
Y	24/AUG/16	24/AUG/16	Telephone Call	EVERETT, David	Action Required - further investigation	24/AUG/16
	24/AUG/16	31/AUG/16	Allocation	WEISE, Tom	Action Required - desktop audit	

**Related Complaints/Reports**

Ref	Complainant	Alleged Source	Incident Location	Received Date	
CR44792			189 Main Beach Road PINKENBA 4008	01/DEC/08	
CR44793			189 Main Beach Road PINKENBA 4008	27/JAN/09	
CR44827			189 Main Beach Road PINKENBA 4008	04/FEB/09	
CR45194			189 Main Beach Road PINKENBA 4008	25/FEB/09	
CR45197			189 Main Beach Road PINKENBA 4008	05/FEB/09	
CR45955			189 Main Beach Road PINKENBA 4008	08/MAY/09	
CR47927			189 Main Beach Road PINKENBA 4008	22/JAN/10	
CR48178			s.73	189 Main Beach Road PINKENBA 4008	01/MAR/10
CR48217			189 Main Beach Road PINKENBA 4008	04/MAR/10	
CR48485			189 Main Beach Road PINKENBA 4008	20/APR/10	
CR48510			189 Main Beach Road PINKENBA 4008	13/APR/10	
CR49150			189 Main Beach Road PINKENBA 4008	15/JUL/10	
CR52963			189 Main Beach Road PINKENBA 4008	13/DEC/11	
CR53016			189 Main Beach Road PINKENBA 4008	21/DEC/11	
CR69585			189 Main Beach Road PINKENBA 4008	17/SEP/15	

## Complaint/Report Details

Related Compliance Activity				
Ref	Type	Information Entered		Activity Location
CA19770	Not Applicable	24/NOV/09	s.73	189 Main Beach Road PINKENBA 4008
CA20826	Maintenance	17/MAY/10		189 Main Beach Road PINKENBA 4008
CA25398	Environment	12/JUN/12		189 Main Beach Road PINKENBA 4008
CA33631	Environment	08/JAN/15		189 Main Beach Road PINKENBA 4008
CA38582	Environment	11/DEC/15		189 Main Beach Road PINKENBA 4008

Released by EHP  
RTI Act 2009



## Complaint/Report Details

**Complaint/Report Ref:** CR45194

**Priority/Sensitive:** N

**Complainant**

s.73

**Alleged Source**

s.73

**Incident Location**

Name	Risk Level	Address
189 Main Beach Road PINKENBA 4008	3 Moderate	189 Main Beach Road PINKENBA QLD 4008

**Type:** Alleged Compliance Issue

**Nature:** Water : Effluent/Sewage

**Received Date:** 25/FEB/09

**Receiving Officer:** COLEMAN, Kylie

**Receiving Office:** ES-RSD-SER-Brisbane Moreton

**Status:** Received

**Origin:** Notification by source

**Notification Method:** Email

**Project Manager:** COLEMAN, Kylie

**Responsible Office:** ES - Reg Serv - Bne South - Bne

**Description**

<b>Event On/From Date:</b>	<b>Event On/From Time:</b>	<b>Received Time:</b>	<b>Ongoing:</b> N	<b>Print Related Permits:</b>
<b>Event To Date:</b>	<b>Event To Time:</b>			
<b>Description</b>				
BOD above licence limit at monitoring point S1 on 10 Feb 2009				

**Running Sheet Summary**

**Accrued Time:** 0 hrs 0 mins

First Action	Date Commenced	Due Date	Action Type	Officer Involved	Outcome	Date Completed
--------------	----------------	----------	-------------	------------------	---------	----------------

**Related Complaints/Reports**

Ref	Complainant	Alleged Source	Incident Location	Received Date	
CR44792			189 Main Beach Road PINKENBA 4008	01/DEC/08	
CR44793			189 Main Beach Road PINKENBA 4008	27/JAN/09	
CR44827			189 Main Beach Road PINKENBA 4008	04/FEB/09	
CR45197			189 Main Beach Road PINKENBA 4008	05/FEB/09	
CR45955			189 Main Beach Road PINKENBA 4008	08/MAY/09	
CR47927			189 Main Beach Road PINKENBA 4008	22/JAN/10	
CR48178			189 Main Beach Road PINKENBA 4008	01/MAR/10	
CR48217			s.73	189 Main Beach Road PINKENBA 4008	04/MAR/10
CR48485			189 Main Beach Road PINKENBA 4008	20/APR/10	
CR48510			189 Main Beach Road PINKENBA 4008	13/APR/10	
CR49150			189 Main Beach Road PINKENBA 4008	15/JUL/10	
CR52963			189 Main Beach Road PINKENBA 4008	13/DEC/11	
CR53016			189 Main Beach Road PINKENBA 4008	21/DEC/11	
CR69585			189 Main Beach Road PINKENBA 4008	17/SEP/15	
CR74763			189 Main Beach Road PINKENBA 4008	24/AUG/16	

**Related Compliance Activity**

Ref	Type	Information Entered	Client	Activity Location
-----	------	---------------------	--------	-------------------

## Complaint/Report Details

Related Compliance Activity				
Ref	Type	Information Entered		Activity Location
CA19770	Not Applicable	24/NOV/09	s.73	189 Main Beach Road PINKENBA 4008
CA20826	Maintenance	17/MAY/10		189 Main Beach Road PINKENBA 4008
CA25398	Environment	12/JUN/12		189 Main Beach Road PINKENBA 4008
CA33631	Environment	08/JAN/15		189 Main Beach Road PINKENBA 4008
CA38582	Environment	11/DEC/15		189 Main Beach Road PINKENBA 4008

Released by EHP  
RTI Act 2009

## Complaint/Report Details

**Complaint/Report Ref:** CR44793

**Priority/Sensitive:** N

**Complainant**

s.73

**Alleged Source**

s.73

**Incident Location**

Name	Risk Level	Address
189 Main Beach Road PINKENBA 4008	3 Moderate	189 Main Beach Road PINKENBA QLD 4008

**Type:** Alleged Compliance Issue

**Nature:** Water : Effluent/Sewage

**Received Date:** 27/JAN/09

**Receiving Officer:** MURPHY, Shari

**Receiving Office:** ES-RSD-SER-Brisbane Moreton

**Status:** Finalised

**Origin:** Notification by source

**Notification Method:** Email

**Project Manager:** MURPHY, Shari

**Responsible Office:** ES-RSD-SER-Brisbane Moreton

**Description**

**Event On/From Date:**

**Event On/From Time:**

**Received Time:**

**Event To Date:**

**Event To Time:**

**Ongoing:** N

**Print Related Permits:**

**Description**

Failure to undertake required monitoring

**Running Sheet Summary**

**Accrued Time:** 0 hrs 0 mins

First Action	Date Commenced	Due Date	Action Type	Officer Involved	Outcome	Date Completed
Y	28/AUG/12		Desktop review	HAWAS, Olga	NFA	

**Related Complaints/Reports**

Ref	Complainant	Alleged Source	Incident Location	Received Date
CR44792			189 Main Beach Road PINKENBA 4008	01/DEC/08
CR44827			189 Main Beach Road PINKENBA 4008	04/FEB/09
CR45194			189 Main Beach Road PINKENBA 4008	25/FEB/09
CR45197			189 Main Beach Road PINKENBA 4008	05/FEB/09
CR45955			189 Main Beach Road PINKENBA 4008	08/MAY/09
CR47927			189 Main Beach Road PINKENBA 4008	22/JAN/10
CR48178			189 Main Beach Road PINKENBA 4008	01/MAR/10
CR48217		s.73	189 Main Beach Road PINKENBA 4008	04/MAR/10
CR48485			189 Main Beach Road PINKENBA 4008	20/APR/10
CR48510			189 Main Beach Road PINKENBA 4008	13/APR/10
CR49150			189 Main Beach Road PINKENBA 4008	15/JUL/10
CR52963			189 Main Beach Road PINKENBA 4008	13/DEC/11
CR53016			189 Main Beach Road PINKENBA 4008	21/DEC/11
CR69585			189 Main Beach Road PINKENBA 4008	17/SEP/15
CR74763			189 Main Beach Road PINKENBA 4008	24/AUG/16

## Complaint/Report Details

Related Compliance Activity				
Ref	Type	Information Entered		Activity Location
CA19770	Not Applicable	24/NOV/09	s.73	189 Main Beach Road PINKENBA 4008
CA20826	Maintenance	17/MAY/10		189 Main Beach Road PINKENBA 4008
CA25398	Environment	12/JUN/12		189 Main Beach Road PINKENBA 4008
CA33631	Environment	08/JAN/15		189 Main Beach Road PINKENBA 4008
CA38582	Environment	11/DEC/15		189 Main Beach Road PINKENBA 4008

Released by EHP  
 RTI Act 2009